From: LANDUSEPLANNING
To: Holly Malynyk

Subject: Southgate Twp - 311700 Southgate Rd -10- B4-21

Date: September 9, 2022 8:54:05 AM

Attachments: <u>image001.pnq</u>

Hello,


We are in receipt of your Consent Application, 10- B4-21 dated September 2, 2022. We have reviewed the documents concerning the noted Plan and have no comments or concerns at this time. Our preliminary review considers issues affecting Hydro One's 'High Voltage Facilities and Corridor

Our preliminary review considers issues affecting Hydro One's 'High Voltage Facilities and Corridor Lands' only.

For proposals affecting 'Low Voltage Distribution Facilities' please consult your local area Distribution Supplier. To confirm if Hydro One is your local distributor please follow the following link:

Stormcentre (hydroone.com)

Please select "Search" and locate address in question by entering the address or by zooming in and out of the map



If Hydro One is your local area Distribution Supplier, please contact Customer Service at 1-888-664-9376 or e-mail CustomerCommunications@HydroOne.com to be connected to your Local Operations Centre

Thank you,

Kitty Luk

Real Estate Assistant | Land Use Planning

Hydro One Networks Inc.

185 Clegg Road Markham, ON | L6G 1B7

Email: <u>landuseplanning@hydroone.com</u>

From: Holly Malynyk hmalynyk@southgate.ca
Sent: Friday, September 2, 2022 10:51 AM

To: Bell Canada ROWCC <rowcentre@bell.ca>; Bev Fisher
 Spisher@southgate.ca>; Bluewater District School Board <shelley_crummer@bwdsb.on.ca>; Bluewater District School Board <jayme_bastarache@bwdsb.on.ca>; Bruce Grey Catholic School Board <al_hastie@bgcdsb.org>; Clinton Stredwick <cstredwick@southgate.ca>; Dave Milliner <dmilliner@southgate.ca>; Derek Malynyk <firechief@southgate.ca>; Enbridge Gas <ONTLands@enbridge.com>; Group_PlanningDeptEmails < Group_PlanningDeptEmails@grey.ca>; Haudenosaunee Development Institute <hdi2@bellnet.ca>; Historic Saugeen Metis <hsmlrcc@bmts.com>; LANDUSEPLANNING <LandUsePlanning@HydroOne.com>; Jim Ellis <jellis@southgate.ca>; Juanita Meekins <juanita.meekins@saugeenojibwaynation.ca>; Kevin Green <kgreen@southgate.ca>; Lacy Russell <lrussell@southgate.ca>; Lindsey Green <|green@southgate.ca>; Meagan Bruce <M.Bruce@publichealthgreybruce.on.ca>; Metis Nation of Ontario <consultations@metisnation.org>; MMAH <Tyler.Shantz@ontario.ca>; Newdevelopment@rci.rogers.com; Ontario Power Generation <Executivevp.lawanddevelopment@opg.com>; Pegelo, Jessica - MTO <jessica.pegelo@ontario.ca>; Riel Warrilow <associate.ri@saugeenojibwaynation.ca>; SVCA Planning <southgate@svca.on.ca>; Union Gas <ontugliandsing@uniongas.com>; William Gott <wgott@southgate.ca>; WSP on behalf of Bell <circulations@wsp.com>

Subject: Notice of Public Hearing - B4-21 Roger and Lynda Falladown

*** Exercise caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Good morning,

Please find the below link for the Notice of Public Hearing for Consent File B4-21 https://www.southgate.ca/en/municipal-services/planning-applications-public-notices.aspx#B4-21-Lynda-and-Rodger-Falladown

The hearing has been scheduled for **September 28**, **at 9:00AM**. Comments will be received on the above notification up until the hearing date, but if possible, please forward by **September 21**, **2022** for inclusion on the public agenda.

Comments can be received by:

Email: hmalynyk@southgate.ca

Fax: 519-923-9262 Attn: Holly Malynyk Mail: Holly Malynyk Secretary-Treasurer

185667 Grey County Road 9 Dundalk, ON NOC 1B0

Thank you for your attention to this matter.

Holly Malynyk Administrative and Legislative Assistant Township of Southgate

■ 185667 Grey County Road 9, Dundalk, ON NOC 1B0

☎ 519-923-2110 ext. 233 | Fax 519-923-9262

This email and any attached files are privileged and may contain confidential information intended only for the person or persons named above. Any other distribution, reproduction, copying, disclosure, or other dissemination is strictly prohibited. If you have received this email in error, please notify the sender immediately by reply email and delete the transmission received by you. This statement applies to the initial email as well as any and all copies (replies and/or forwards) of the initial email